









































	Code DN 80-200	Megnevezés	80	100	110	120	125	130	140	150	160	180	200
	L31604EXTA1S	1 méteres hosszszem	5 713	6 749	6 820	6 958	7 193	7 225	7 641	7 792	8 487	9 576	10 464
	L31604EXTA5S	0,5 méteres hosszszem	3 756	3 826	3 872	3 963	4 087	4 216	4 270	4 418	4 880	5 283	5 834
	L31604EXTA2S	0,25 méteres hosszszem	2 122	2 608	2 713	2 866	2 895	2 947	2 995	3 156	3 465	3 492	3 676
	L31604EXEPS4S	Állítható füstcső csatlakozó 250-350mm	7 762	8 607	9 016	9 149	9 207	9 844	10 544	10 873	11 095	12 685	13 801
	L31604EXGA90I	90°-os könyök, elálló tisztónyílással	12 329	12 484	13 184	13 615	#ÉRTÉK!	14 878	15 280	16 130	17 115	20 787	23 107
	BFL31604GA90I	90°-os könyök tisztító nyílással	10 368	10 440	10 563	11 335	#ÉRTÉK!	11 825	12 040	12 648	13 743	16 440	20 121
	L31604EXGA90X	90°-os könyök	6 196	6 615	6 947	7 218	7 181	7 762	8 134	8 862	9 961	12 327	15 840
	L31604EXGA45X	45°-os könyök	3 718	3 731	3 796	3 953	4 028	4 082	4 393	4 626	4 946	5 375	6 565
	L31604EXGAGIR	0-90°-os állítható könyök	7 003	7 272	7 710	8 092	8 387	8 667	9 391	9 812	10 143	10 213	10 275
	L31604EXT69S	90°-os T idom	5 061	5 526	6 308	6 612	6 762	6 985	7 905	8 865	9 473	10 764	12 076
	L31604EXT64S	45°-os T idom	10 208	12 019	12 098	12 128	12 191	12 262	13 579	14 341	14 611	16 808	17 953
	L31604EXT69SU	90°-os szűkítő- bekötő idom	#ÉRTÉK!	4 646	4 805	4 965	5 122	5 124	5 283	5 442	5 602	6 550	6 881
	L316EXCAIS	Esővédő sapka, tokos végződéshez	5 211	5 604	5 759	6 439	6 662	6 662	6 796	7 020	8 002	8 837	9 792
	L316EXTAPSS	Viharsapka	6 412	6 689	7 467	7 699	7 887	7 887	9 372	9 604	9 899	11 428	12 975
	L316EXKE	Végelem	#ÉRTÉK!	18 395	#ÉRTÉK!	18 611	#ÉRTÉK!	18 827	19 103	19 575	20 755	22 723	23 588

	BFL316CCMONO	Esővédő sapka, szorító bilincsel	5 012	5 433	5 517	5 607	5 553	5 785	5 982	6 045	6 126	8 710	8 549
	Code DN 80-200	Megnevezés	80	100	110	120	125	130	140	150	160	180	200
	L316EXFAPS2S	Esőgallér	2 785	2 992	3 095	3 102	3 109	3 161	3 306	3 400	3 967	4 487	4 521
	BFL316FPSSSF	Tetőátvezető idom és esőgallér, lapos tetőre	7 695	7 908	9 285	9 757	9 765	10 880	11 353	13 376	13 681	13 681	15 252
	BFL316FPS5SF	Állítható tetőátvezető idom és esőgallér, 5°/30°	20 931	20 931	21 680	21 678	22 002	22 058	23 407	33 478	33 698	35 909	36 189
	BFL316FPS3SF	Állítható tetőátvezető idom és esőgallér, 30°/45°	22 878	22 878	23 361	23 852	24 195	24 722	26 738	35 661	36 112	38 387	39 741
	BFL316AFPS5SF	Alumínium palástú, állítható tetőátvezető idom- 5°-30°	8 152	8 152	9 106	9 106	9 106	9 622	11 356	11 560	12 051	12 870	15 041
	BFL316AFPS3SF	Alumínium palástú, állítható tetőátvezető idom-30°-45°	8 933	8 933	9 980	9 980	9 980	10 864	12 283	12 699	13 349	13 715	16 345
	L31604EXISPSS	Ellenőrző idom- kör alakú	7 777	8 090	8 949	9 217	9 711	9 695	10 312	10 751	11 829	14 561	15 695
	L31604EXPF	Füstgáz ellenőrző idom-csavarmenettel, szilikon gyűrűvel	5 375	5 770	5 961	6 158	6 257	6 526	6 776	6 892	7 116	7 529	7 865
	L31604EXPFT	Hőmérséklet és füstgáz ellenőrző idom.	14 102	14 875	15 229	15 605	15 794	15 959	16 346	16 700	17 363	18 103	18 833
	L31604EXISN	Lapos ellenőrző idom- kör alakú	8 877	10 144	10 740	11 560	11 970	13 069	13 475	13 750	13 951	14 604	16 200
	L31604EXMMA	Duplatokos összekötő elem-„APA”	1 405	1 594	1 716	1 791	1 916	2 034	2 278	2 372	2 475	2 645	2 843
	L31604EXFFA	Duplatokos Összekötő elem- „ANYA”	1 405	1 594	1 716	1 791	1 916	2 034	2 278	2 372	2 475	2 645	2 843

	L31604EXERC	Ellenőrző idom négyszögletes ajtóval- Kizárólag negatív nyomásra	15 253	16 112	16 194	16 196	16 332	16 599	16 941	17 078	17 109	17 664	18 052
	L316EXSCARSS	T-elem zárókupak kondenzátum elvezetővel	3 601	3 775	4 113	4 133	4 438	4 474	4 553	5 025	5 175	5 384	5 660
	L316EXSCARLVH	Kondenzelvezető idom vízszintes és függőleges beépítésre	13 864	14 008	14 353	14 621	#ÉRTÉK!	16 666	16 784	17 282	17 856	18 289	19 668
	Code DN 80-200	Megnevezés	80	100	110	120	125	130	140	150	160	180	200
	L316EXSCARLH	Kondenzelvezető idom vízszintes beépítésre	6 294	6 863	6 958	7 237	#ÉRTÉK!	7 429	7 618	8 047	8 876	9 323	9 398
	L31604EXPPCS	Talplemez konzolos szereléshez kondenzátum elvezetővel	7 108	7 796	8 084	8 330	8 457	8 565	9 177	9 474	10 301	10 853	11 816
	L31604EXPISS	Köztes lemez, konzolos szereléshez	6 237	7 039	7 393	7 686	7 840	7 977	8 816	9 161	10 045	10 710	11 429
	L316EXCS	Fali konzol	5 446	5 850	6 047	6 253	6 492	6 488	6 704	6 929	7 192	7 699	8 253
	L316EXTC	Záró kupak bekötőidomra	3 421	3 586	3 825	3 926	4 216	4 250	4 326	4 773	4 916	5 115	5 377
	L316EXFACSS	Szorító bilincs	1 435	1 435	1 487	1 487	1 539	1 539	1 565	1 591	1 617	1 643	1 669
	L316EXCOLSS	Fali Távtartó	2 430	2 579	2 579	2 641	3 270	3 279	3 613	3 872	4 294	4 633	4 645
	BFL316CREG	Állítható Fali Távtartó	3 953	4 329	4 498	4 685	4 978	5 030	5 937	6 353	7 063	7 163	7 436
	L316EXFCPSS	Kábelrögzítő-bilincs	2 013	2 153	2 251	2 350	2 350	2 450	2 574	2 614	3 031	3 065	3 124
	L316EXCD	Központosító elem	2 298	2 437	2 561	2 608	2 658	2 708	2 902	3 053	3 247	3 440	3 642



	L316EXDIS	Fali távtartó sín	3 032	3 032	3 032	3 032	3 032	3 034	3 365	3 366	3 541	3 707	3 884
	L316EXCR	Bilincs	2 300	2 460	2 573	2 685	#ÉRTÉK!	2 789	3 014	3 174	3 399	3 615	3 827
	L316EX2GN	Szilikon tömítőgyűrű	954	967	992	1 088	1 149	1 184	1 376	1 536	1 664	2 080	2 720